

Kwalu Features

Product Dimensions and Specs



Overall	28W 33.5D 38.5H
Seat	23W 20D 20H
Arm	27H
Wt.	75 lbs
Wt. Capacity	250 lbs

Product Configurations

Arezzo Collection

AREX


Seat Style



G1
Chair


G2
Love Seat

Piping Style
(Optional)




P
With Piping


Product Statement of Line Images




Arezzo Glider Lounge Chair,
Back & Seat Cushions without
Piping
Model: AREG1
28W 33.5D 38.5H
27AH



Arezzo Glider Lounge Chair,
Back & Seat Cushions with
Piping
Model: AREG1P
28W 33.5D 38.5H
27AH



Arezzo Glider Love Seat, Back
& Seat Cushions without
Piping
Model: AREG2
54W 33.5D 38.5H
27AH



Arezzo Glider Love Seat, Back
& Seat Cushions with Piping
Model: AREG2P
54W 33.5D 38.5H
27AH

Product Features



Waterproof Outdoor UV Protected Frame

Special additive protects frame against the elements and damaging ultraviolet rays.



Steel Reinforced

Our patented steel-reinforced joint system uses over 20 pieces of steel in most Kwalu chairs. Stop ongoing and costly furniture replacement.

[Learn More >](#)



Glider Mechanism

Kwalu's glider mechanism provides an exceptionally smooth gliding motion.



Quick Dry Cushion

Kwalu's quick drying cushion construction moves moisture through fast allowing cushions and pillows to dry rapidly.



Optional Piping on Back Pillow and Seat

Piping available on back pillows and seat cushions and is optional.



Number of Seats

Choose from 2 seat styles - lounge chair and love seat.

[Learn more >](#)



Replacement Cushions

Please contact a sales associate to purchase additional or replacement cushions.



Optional Floor Mounting


A set of 4 L-shaped brackets and 8 screws to secure the brackets to the product are provided. Screws to attach brackets to the floor are not included.

Product Glides


Nylon Knock in Glide 1 1/8 inch

Product Finishes

Frame Finish



Outdoor
Weathered Teak
UV



Outdoor White
UV

Product Environmental Certifications

