

Kwalu Features

Product Dimensions and Specs

Overall 54.5W 29.5D 33.25H


Seat 40.5W 20D 19H

 Arm
 25.5H

 Wt.
 94 lbs

 Wt. Capacity
 525 lbs

Product Configurations





Product Statement of Line Images



Zeri Lounge Chair, without Button & without Stitching Detail Model: ZER10C 33.25W 29.5D 33.25H 25.5AH



Zeri Lounge Chair, with Button Zeri Lounge Chair, with Detail Model: ZER11C 33.25W 29.5D 33.25H 25.5AH



Stitching Detail Model: ZER12C 33.25W 29.5D 33.25H 25.5AH




Zeri Love Seat, without Button & without Stitching Detail Model: ZER20C 54.5W 29.5D 33.25H 25.5AH




Zeri Love Seat, with Button Detail Model: ZER21C 54.5W 29.5D 33.25H 25.5AH



Zeri Love Seat, with Stitching Detail Model: ZER22C 54.5W 29.5D 33.25H 25.5AH




Zeri Sofa, without Button & without Stitching Detail Model: ZER30C 75.75W 29.5D 33.25H 25.5AH



Zeri Sofa, with Button Detail Model: ZER31C 75.75W 29.5D 33.25H 25.5AH





Zeri Sofa, with Stitching Detail Model: ZER32C 75.75W 29.5D 33.25H 25.5AH



Product Features



Durable Finish

Kwalu's solid surface (1/8" thick) proprietary finish doesn't have any of the drawbacks of wood. The frames are moisture impervious, graffiti-resistant, easy to clean and maintenance-free.



Removable Seat Deck

Removable seat deck prevents buildup of debris and provides for easy maintenance.



Optional Back Buttons

Back available with or without optional buttons.



Optional Back Stitching

Available with or without optional back stitching detail.



Number of Seats

Choose from 3 seat styles – lounge chair, love seat, and sofa.

<u>Learn more ></u>



10 Year Warranty

We offer a 10 Year Performance Warranty on both construction and finish, so the product is guaranteed to stay looking like new for 10 years.

<u>Learn More ></u>

Product Foam

Foam is compliant with CAL 117 and AB 2998


Product Glides

Clear Plastic Butyl Screw in Glide



Product Finishes

Leg Finish





Product Environmental Certifications



